



AGENDA MEMO - COMMUNITY DEVELOPMENT

PLANNING COMMISSION MEETING DATE: DECEMBER 10, 2024

DEPARTMENT: COMMUNITY DEVELOPMENT

ITEM DESCRIPTION: APPLICANT/OWNER: MATLOCK HOLDINGS II, LLC

**** STAFF RECOMMENDATION(S) ****

CASE NUMBER	RECOMMENDATION	REQUIRED FOR APPROVAL
24-0548-VAR1	Staff recommends DENIAL, if approved subject to conditions:	
24-0548-SUP1	Staff recommends APPROVAL, subject to conditions:	
24-0548-SDR1	Staff recommends APPROVAL, subject to conditions:	24-0548-SUP1

**** NOTIFICATION ****NEIGHBORHOOD ASSOCIATIONS NOTIFIED

21

NOTICES MAILED

306

PROTESTS

0

APPROVALS

0

Submitted after final agenda

Items 29a-29c

CAS

**** CONDITIONS ****

24-0548-VAR1 CONDITIONS

Planning

1. Approval of and conformance to the Conditions of Approval for Special Use Permit (24-0548-SUP1) and Site Development Plan Review (24-0548-SDR1) shall be required, if approved.
2. A Variance is hereby approved to allow a five-foot side yard setback where 10 feet is required.
3. A Variance is hereby approved to allow a six-foot tall front yard wall where five feet with a two-foot solid base is the maximum height allowed.
4. This approval shall be void two years from the date of final approval, unless exercised pursuant to the provisions of LVMC Title 19.16. An Extension of Time may be filed for consideration by the City of Las Vegas.
5. All necessary building permits shall be obtained and final inspections shall be completed in compliance with Title 19 and all codes as required by the Building and Safety Division.
6. These Conditions of Approval shall be affixed to the cover sheet of any plan set submitted for building permit.
7. All City Code requirements and design standards of all City departments must be satisfied, except as modified herein.

24-0548-SUP1 CONDITIONS

Planning

1. Conformance to all Minimum Requirements under LVMC Title 19.12 for a Building & Landscape Material/Lumber Yard use.

Conditions Page Two

December 10, 2024 - Planning Commission Meeting

2. Approval of and conformance to the Conditions of Approval for Site Development Plan Review (24-0548-SDR1) shall be required, if approved.
3. This approval shall be void two years from the date of final approval, unless exercised pursuant to the provisions of LVMC Title 19.16. An Extension of Time may be filed for consideration by the City of Las Vegas.
4. All necessary building permits shall be obtained and final inspections shall be completed in compliance with Title 19 and all codes as required by the Building and Safety Division.
5. These Conditions of Approval shall be affixed to the cover sheet of any plan set submitted for building permit, as well as submitted as part of any business license application.
6. All City Code requirements and design standards of all City departments must be satisfied, except as modified herein.

24-0548-SDR1 CONDITIONS

Planning

1. Approval of and conformance to the Conditions of Approval for Special Use Permit (24-0548-SUP1) shall be required, if approved.
2. This approval shall be void two years from the date of final approval, unless exercised pursuant to the provisions of LVMC Title 19.16. An Extension of Time may be filed for consideration by the City of Las Vegas.
3. All development shall be in conformance with the site plan and landscape plan, date stamped 12/10/24, and building elevations, date stamped 11/04/24 except as amended by conditions herein.

Conditions Page Three

December 10, 2024 - Planning Commission Meeting

4. A Waiver from Title 19.08.070 is hereby approved, [to allow a zero-foot landscape buffer along a portion of the eastern property line](#) where eight feet is required.
5. All necessary building permits shall be obtained and final inspections shall be completed in compliance with Title 19 and all codes as required by the Building and Safety Division.
6. These Conditions of Approval shall be affixed to the cover sheet of any plan set submitted for building permit.
7. Pursuant to LVMC Title 19.08.040.G for commercial and industrial properties, a perimeter wall shall be constructed adjacent to any residential zoning district or property used solely for residential purposes. The wall or fence is intended to screen the commercial or industrial activity from the residential property, and shall be of a solid decorative material that is a minimum of six feet in height measured from the side of the commercial or industrial property. In no case shall the wall or fence exceed the overall height limitation applicable to the adjacent zoning district or property unless approved through a Variance or other applicable means. The overall height of a wall or fence shall be measured from the side with the greatest vertical exposure above finished grade.
8. Trash enclosures shall be provided in conformance with the provisions of Title 19.08.040.E.
9. A technical landscape plan, signed and sealed by a Registered Architect, Landscape Architect, Residential Designer or Civil Engineer, must be submitted prior to or at the same time application is made for a building permit. A permanent underground sprinkler system is required, which shall be permanently maintained in a satisfactory manner; the landscape plan shall include irrigation specifications. Installed landscaping shall not impede visibility of any traffic control device.
10. All City Code requirements and design standards of all City Departments must be satisfied, except as modified herein.

Public Works

11. All landscaping and private improvements installed with this project shall be situated and maintained so as to not create sight visibility obstructions for vehicular traffic at all development access drives and abutting street intersections.
12. Gates are to remain open during business hours and shall not encroach into public right-of-way in either the opened or closed position.

CAS

Conditions Page Four

December 10, 2024 - Planning Commission Meeting

13. Meet with the Flood Control Section of the Department of Public Works for assistance with establishing finished floor elevations and drainage paths for this site prior to submittal of construction plans or the issuance of any building or grading permits, whichever may occur first. Provide and improve all drainage ways as recommended.

Fire & Rescue

14. A fully operational fire protection system, including fire apparatus roads, fire hydrants and water supply, shall be installed and shall be functioning prior to construction of any combustible structures.

Staff Report Page One
December 10, 2024 - Planning Commission Meeting

**** STAFF REPORT ****

PROJECT DESCRIPTION

This is a project request for a proposed 16,577 square-foot Building & Landscape Material/Lumber Yard development on 1.36 acres located on the south side of Red Coach Avenue, 465 feet west of Rancho Drive.

Plan Revisions Received 12/10/24

- The building size has been reduced from 18,340 square feet to 16,577 square feet.
- The building placement has been adjusted to meet the required 10-foot side yard setback. This Variance request can be stricken.
- The front yard wall height has been reduced to five feet, adhering to Title 19 requirements. This Variance request can be stricken.
- A landscape Waiver is now only required for a small portion along the eastern property line in order to allow future access to the adjacent parcel. Staff supports the request.
- Landscape islands have been added in order to comply with Title 19 requirements. The Exception request is no longer needed.

ISSUES

- A Building & Landscape Material/Lumber Yard use is permitted in the C-1 (Limited Commercial) zoning district with the approval of a Special Use Permit. Staff does not support the request.

ANALYSIS

The subject 1.36-acre site is zoned C-1 (Limited Commercial) with a TOC-2 (Transit Oriented Corridor- Low) Land Use Designation. It is currently undeveloped and subject to Title 19 development standards. The surrounding area includes a mixture of commercial and residentially zoned properties. The applicant proposes to develop the subject site with a two-story, 16,577 square-foot Building & Landscape Material/Lumber Yard development.

CAS

Pursuant to Title 19.12, the Building & Landscape Material/Lumber Yard use is defined as, "A facility for the sale of home, lawn and garden supplies and construction materials such as brick, lumber and other similar materials." Per the submitted justification letter, the proposed use meets this definition as the applicant intends to sell building and landscape supplies such as pavers, artificial turf, lumber forms, tile, carpet tile, garage epoxy, pool paint, mesa wall blocks, ledger panels, tools, and accessories.

The Minimum Special Use Permit Requirements for this use include:

* 1. Accessory outdoor storage must meet all requirements of LVMC 19.08.040(E)(4)(e), irrespective of whether or not for purposes of LVMC 19.08.040(E)(4)(e) a Variance from its requirements is granted pursuant to that provision and LVMC 19.16.140.

Per Title 19.08.040(E)(4)(e), Outdoor Storage Areas are subject to the following minimum standards set forth below, unless a deviation or relief from any such standard is granted by means of a Variance application under LVMC 19.16.140.

1. Outdoor Storage shall not be permitted within required setback areas, landscape buffer yards or other required landscape areas, or parking spaces required to meet minimum parking standards.

The proposed outdoor storage area meets this requirement, as it is not located within a required setback area, landscape buffer yard, required landscape area or required parking spaces.

2. Outdoor Storage shall be screened from view from any public street.

The proposed outdoor storage area meets this requirement, as it is located away from the street frontage and will be screened with an eight-foot tall block wall.

3. Outdoor Storage shall be screened from view from any adjoining property, except along adjacent property lines of property zoned C-M or M.

The proposed outdoor storage area meets this requirement, as it will be screened with an eight-foot tall block wall and landscaping.

4. Required screening shall consist of a solid structure that is at least eight feet in height, including, but not limited to, a building or wall.

The proposed outdoor storage area meets this requirement, as it will be screened by an eight-foot tall block wall.

Staff Report Page Three**December 10, 2024 - Planning Commission Meeting**

The submitted plans depict a two-story, 16,577 square-foot building with a 2,463 square-foot outdoor storage area. Approximately 2,308 square feet of the proposed building will be utilized for office space while the remaining areas will be utilized as floor sales area. Access is proposed from Red Coach Avenue, a 60-foot Local Street. Parking requirements are satisfied as 37 spaces are provided where 34 are required.

The proposed building is two stories with a maximum height of 32 feet. Residential adjacency requirements are applicable to the R-1 (Single Family Residential) and R-CL (Single Family Compact-Lot) zoned properties adjacent to the south and west. Title 19 requirements are satisfied as a 96-foot residential adjacency setback is provided where 96 feet is required. The building façade will feature a CMU pattern in neutral tones. Bay doors are proposed to be located on the western and southern ends of the building and do not face the right-of-way.

The Department of Engineering - Traffic Engineering Division has commented, "This project is expected to add an additional 269 trips per day on Rancho Drive, Craig Road, and Red Coach Avenue. Currently, Rancho Drive is at about 43 percent of capacity and Craig Road is at about 66 percent of capacity. With this project, Rancho Drive and Craig Road are expected to remain unchanged. Counts are not available for Red Coach Avenue, but it is believed to be under capacity. Based on Peak Hour use, this development will add into the area roughly 36 additional peak hour trips, or about one every two minutes."

The subject site is located within the City of Las Vegas 2050 Master Plan Rancho Area. This area currently lacks cohesion, largely because of the lack of major city and community services. However, with a re-imagination of Rancho Drive, and the addition of high capacity transit routes along it, Decatur Boulevard, and Craig Road, the area can develop a new identity that balances transit-oriented mixed-use and existing developments. The future vision for the Rancho Area calls for medium to higher-density, suburban-oriented transit-oriented development to support existing well-established, yet older, shopping centers at key nodes that have potential to become neighborhood mixed-use centers.

Staff finds the proposed development can be conducted in a harmonious and compatible manner with the existing development in the surrounding area. With the submitted plan revisions, date stamped 12/10/24, all Title 19 requirements are being met except for a Waiver request to allow no landscape buffer along a small portion of the eastern property line which staff finds to be minor in nature. Therefore, staff recommends approval of the Special Use Permit and Site Development Plan Review requests. The Variance request can be stricken.

Staff Report Page Four
December 10, 2024 - Planning Commission Meeting

FINDINGS (24-0548-VAR1)

In accordance with the provisions of Title 19.16.140(B), the Planning Commission and City Council, in considering the merits of a Variance request, shall not grant a Variance in order to:

1. Permit a use in a zoning district in which the use is not allowed;
2. Vary any minimum spacing requirement between uses;
3. Relieve a hardship which is solely personal, self-created or financial in nature."

Additionally, Title 19.16.140(L) states:

"Where by reason of exceptional narrowness, shallowness, or shape of a specific piece of property at the time of enactment of the regulation, or by reason of exceptional topographic conditions or other extraordinary and exceptional situation or condition of the piece of property, the strict application of any zoning regulation would result in peculiar and exceptional practical difficulties to, or exceptional and undue hardships upon, the owner of the property, a variance from that strict application may be granted so as to relieve the difficulties or hardship, if the relief may be granted without substantial detriment to the public good, without substantial impairment of affected natural resources and without substantially impairing the intent and purpose of any ordinance or resolution."

No evidence of a unique or extraordinary circumstance has been presented, in that the applicant has created a self-imposed hardship by proposing to construct a building and front yard fence that does not comply with minimum Title 19 development standards. In view of the absence of any hardships imposed by the site's physical characteristics, it is concluded that the applicant's hardship is preferential in nature, and it is thereby outside the realm of NRS Chapter 278 for granting of Variances.

FINDINGS (24-0548-SUP1)

In order to approve a Special Use Permit application, per Title 19.16.110(L) the Planning Commission and City Council must affirm the following:

1. **The proposed land use can be conducted in a manner that is harmonious and compatible with existing surrounding land uses, and with future surrounding land uses as projected by the General Plan.**

The proposed use is compatible with the surrounding land uses and can be conducted in a manner that is harmonious with the surrounding land uses.

CAS

2. **The subject site is physically suitable for the type and intensity of land use proposed.**

The subject site is physically suitable for the intensity of the proposed land use.

3. **Street or highway facilities providing access to the property are or will be adequate in size to meet the requirements of the proposed use.**

Site access is provided from Red Coach Avenue, via Rancho Drive which are adequate to service the needs of the proposed use. Circulation will not be negatively impacted.

4. **Approval of the Special Use Permit at the site in question will not be inconsistent with or compromise the public health, safety, and welfare or the overall objectives of the General Plan.**

If approved, the proposed use will be subject to building permits and business license requirements, which will ensure the protection for the public health, safety and general welfare.

5. **The use meets all of the applicable conditions per Title 19.12.**

The proposed use adheres to all requirements listed under Title 19.12.

FINDINGS (24-0548-SDR1)

In order to approve a Site Development Plan Review application, per Title 19.16.100(E) the Planning Commission and/or City Council must affirm the following:

1. **The proposed development is compatible with adjacent development and development in the area;**

The proposed development is compatible with the surrounding land uses and can be conducted in a manner that is harmonious with surrounding land uses.

2. **The proposed development is consistent with the General Plan, this Title, and other duly-adopted city plans, policies and standards;**

The proposed development is consistent with Title 19 requirements except for landscape buffer Waiver which staff considers to be minor in nature.

3. **Site access and circulation do not negatively impact adjacent roadways or neighborhood traffic;**

Site access is provided from Red Coach Avenue, via Rancho Drive which are adequate to service the needs of the proposed use. Circulation will not be negatively impacted.

4. **Building and landscape materials are appropriate for the area and for the City;**

The proposed building and landscape materials are appropriate for the area and for the City.

5. **Building elevations, design characteristics and other architectural and aesthetic features are not unsightly, undesirable, or obnoxious in appearance; create an orderly and aesthetically pleasing environment; and are harmonious and compatible with development in the area;**

The building elevations are not obnoxious in appearance and are compatible with the existing development in the surrounding area.

6. **Appropriate measures are taken to secure and protect the public health, safety and general welfare.**

If approved, the proposed use will be subject to building permits and business license requirements, which will ensure the protection for the public health, safety and general welfare.

BACKGROUND INFORMATION

<i>Related Relevant City Actions by Planning, Fire, Building, Code Enforcement, etc.</i>	
04/02/03	The City Council approved a request for a Rezoning (ZON-1364) to C-1 (Limited Commercial) and C-2 (General Commercial) for the subject site as part of a larger request implementing the recommendations of the Rancho Corridor Study. The Planning Commission and staff recommended approval. At the time, the property extended to Rancho Drive. A condition limited the C-2 portion to the east 200 feet only.

<i>Related Relevant City Actions by Planning, Fire, Building, Code Enforcement, etc.</i>	
07/21/04	The City Council approved a request for a Review of Condition (ROC-4666) to clarify Condition Number 1 of an approved Rezoning (ZON-1364), which required the east 200 feet of the property, which extended to Rancho Drive, to be zoned C-2 (General Commercial) with the remainder of the property zoned C-1 (Limited Commercial). The result of this action was that the C-2 zoned portion extended west 465 feet from Rancho Drive, with the remainder of the property zoned C-1.
03/02/05	The City Council approved a Petition to Vacate (VAC-5721) to vacate a portion of the south half of Red Coach Avenue between Rancho Drive and Painted Desert Drive. The Order of Vacation was recorded 07/16/05.
12/28/05	A three-lot Parcel Map (PMP-5149) on 3.67 acres at the southwest corner of Red Coach Avenue and Rancho Drive was recorded, establishing lot lines at the previously approved zoning boundaries.
06/11/19	The Planning Commission approved Site Development Plan Review (SDR-76332) for a proposed 10,000 square-foot Pet Boarding Facility located on the south side of Red Coach Avenue, 465 feet west of Rancho Drive. Staff recommended approval.
06/02/21	The City Council approved General Plan Amendment (21-0029-GPA1) to adopt the City of Las Vegas 2050 Master Plan and amend the City of Las Vegas General Plan from various categories to TOD-1 (Transit Oriented Development-1), TOD-2 (Transit Oriented Development-2), TOC-1 (Transit Oriented Corridor-1), TOC-2 (Transit Oriented Corridor-2), OR NMXU (Neighborhood Center Mixed Use) within the City of Las Vegas.

<i>Most Recent Change of Ownership</i>	
08/19/24	A deed was recorded for a change in ownership.

<i>Related Building Permits/Business Licenses</i>	
There are no related building permits/business licenses of note.	

<i>Pre-Application Meeting</i>	
10/14/24	Staff conducted a pre-application meeting with the applicant where the submittal requirements and deadlines were reviewed for a proposed Building and Landscape Material development.

Staff Report Page Eight
December 10, 2024 - Planning Commission Meeting

Neighborhood Meeting

A neighborhood meeting was not required, nor was one held.

Field Check

10/24/24

Staff conducted routine field check and found an undeveloped lot. No issues were noted.

Details of Application Request**Site Area**

Net Acres

1.36

Surrounding Property	Existing Land Use Per Title 19.12	Planned or Special Land Use Designation	Existing Zoning District
Subject Property	Undeveloped	TOC-2 (Transit Oriented Corridor - Low)	C-1 (Limited Commercial)
North	Multi-Family Residential	M (Medium Density Residential)	R-3 (Medium Density Residential)
South	Undeveloped	TOC-2 (Transit Oriented Corridor - Low)	C-1 (Limited Commercial)
	Single Family, Detached	L (Low Density Residential)	R-CL (Single Family Compact-Lot)
East	Auto Repair Garage, Major	TOC-2 (Transit Oriented Corridor - Low)	C-2 (General Commercial)
West	Single Family, Detached	TOC-2 (Transit Oriented Corridor - Low)	R-1 (Single Family Residential)

CAS

Staff Report Page Nine

December 10, 2024 - Planning Commission Meeting

Master and Neighborhood Plan Areas	Compliance
Las Vegas 2050 Master Plan Area: Rancho	N*
Special Area and Overlay Districts	Compliance
A-O (Airport Overlay) District (175 Feet)	Y
Other Plans or Special Requirements	Compliance
Trails	N/A
Las Vegas Redevelopment Plan Area	N/A
Interlocal Agreement	N/A
Project of Significant Impact (Development Impact Notification Assessment)	N/A
Project of Regional Significance	N/A

* The future vision for the Rancho Area calls for medium to higher-density, suburban - oriented transit-oriented development

DEVELOPMENT STANDARDS

Pursuant to Title 19.08, the following standards apply:

Standard	Required/Allowed	Provided	Compliance
Min. Setbacks			
• Front	10 Feet	62 Feet	Y
• Side	10 Feet	10 Feet	Y
• Rear	20 Feet	42 Feet	Y
Max. Lot Coverage	50%	3%	Y
Max. Building Height	N/A	32 Feet	N/A
Trash Enclosure	Screened, Gated, w/ a Roof or Trellis	Screened, Gated, w/ a Roof or Trellis	Y
Mech. Equipment	Screened	Screened	By Condition
Front Yard Fences and Walls	Five Feet with a Two-foot solid base	Five Feet with a Two-foot solid base	Y

Residential Adjacency Standards	Required/Allowed	Provided	Compliance
3:1 proximity slope	96 Feet	96 Feet	Y
Adjacent development matching setback	20 Feet	42 Feet	Y
Trash Enclosure	50 Feet	91 Feet	Y

Pursuant to Title 19.08, the following standards apply:

Landscaping and Open Space Standards				
Standards	Required		Provided	Compliance
	Ratio	Trees		
Buffer Trees:				
• North	1 Tree / 20 Linear Feet	7 Trees	7 Trees	Y
• South	1 Tree / 30 Linear Feet	11 Trees	11 Trees	Y
• East	1 Tree / 30 Linear Feet	10 Trees	10 Trees	Y
• West	1 Tree / 20 Linear Feet	12 Trees	12 Trees	Y
TOTAL PERIMETER TREES		40 Trees	40 Trees	Y
Parking Area Trees	1 Tree / 6 Uncovered Spaces, plus 1 tree at the end of each row of spaces	9 Trees	9 Trees	Y
LANDSCAPE BUFFER WIDTHS				
Min. Zone Width				
• North	15 Feet	15 Feet	Y	
• South	8 Feet	8 Feet	Y	
• East	8 Feet	0-8 Feet	N*	
• West	8 Feet	8 Feet	Y	
Wall Height	6 to 8 Feet Adjacent to Residential		8 Feet	Y

*A Waiver is requested to allow a reduced landscape buffer width along a portion of the eastern property line.


Street Name	Functional Classification of Street(s)	Governing Document	Actual Street Width (Feet)	Compliance with Street Section
Red Coach Avenue	Local Street	Title 13	60 Feet	Y

Pursuant to Title 19.08 and 19.12, the following parking standards apply:

Parking Requirement								
Use	Gross Floor Area or Number of Units	Required			Provided		Compliance	
		Parking Ratio	Parking		Parking			
			Regular	Handi-capped	Regular	Handi-capped		
Building & Landscape Material/Lumber Yard	14,114 SF (indoor)	1:500 SF of GFA, including any outside sales area.	34					
	2,463 SF (outdoor)							
TOTAL SPACES REQUIRED			34		37		Y	
Regular and Handicap Spaces Required			32	2	35	2	Y	
Loading Spaces	10,000 to 29,999 SF		2		2		Y	

Waivers		
Requirement	Request	Staff Recommendation
Provide an eight-foot landscape buffer along interior lot lines.	To allow no landscape buffer along a portion of the eastern property line	Approval

OCCUPANCY SCHEDULE - FIRST FLOOR				
ROOM NO.	ROOM NAME	AREA	USE FACTOR	OCCUPANT LOAD
101	RECEPTION	1,100	1.0	110
102	OFFICE	1,100	1.0	110
103	OFFICE	1,100	1.0	110
104	OFFICE	1,100	1.0	110
105	OFFICE	1,100	1.0	110
106	OFFICE	1,100	1.0	110
107	OFFICE	1,100	1.0	110
108	OFFICE	1,100	1.0	110
109	OFFICE	1,100	1.0	110
110	OFFICE	1,100	1.0	110
111	OFFICE	1,100	1.0	110
112	OFFICE	1,100	1.0	110
113	OFFICE	1,100	1.0	110
114	OFFICE	1,100	1.0	110
115	OFFICE	1,100	1.0	110
116	OFFICE	1,100	1.0	110
117	OFFICE	1,100	1.0	110
118	OFFICE	1,100	1.0	110
119	OFFICE	1,100	1.0	110
120	OFFICE	1,100	1.0	110
121	OFFICE	1,100	1.0	110
122	OFFICE	1,100	1.0	110
123	OFFICE	1,100	1.0	110
124	OFFICE	1,100	1.0	110
125	OFFICE	1,100	1.0	110
126	OFFICE	1,100	1.0	110
127	OFFICE	1,100	1.0	110
128	OFFICE	1,100	1.0	110
129	OFFICE	1,100	1.0	110
130	OFFICE	1,100	1.0	110
131	OFFICE	1,100	1.0	110
132	OFFICE	1,100	1.0	110
133	OFFICE	1,100	1.0	110
134	OFFICE	1,100	1.0	110
135	OFFICE	1,100	1.0	110
136	OFFICE	1,100	1.0	110
137	OFFICE	1,100	1.0	110
138	OFFICE	1,100	1.0	110
139	OFFICE	1,100	1.0	110
140	OFFICE	1,100	1.0	110
141	OFFICE	1,100	1.0	110
142	OFFICE	1,100	1.0	110
143	OFFICE	1,100	1.0	110
144	OFFICE	1,100	1.0	110
145	OFFICE	1,100	1.0	110
146	OFFICE	1,100	1.0	110
147	OFFICE	1,100	1.0	110
148	OFFICE	1,100	1.0	110
149	OFFICE	1,100	1.0	110
150	OFFICE	1,100	1.0	110
151	OFFICE	1,100	1.0	110
152	OFFICE	1,100	1.0	110
153	OFFICE	1,100	1.0	110
154	OFFICE	1,100	1.0	110
155	OFFICE	1,100	1.0	110
156	OFFICE	1,100	1.0	110
157	OFFICE	1,100	1.0	110
158	OFFICE	1,100	1.0	110
159	OFFICE	1,100	1.0	110
160	OFFICE	1,100	1.0	110
161	OFFICE	1,100	1.0	110
162	OFFICE	1,100	1.0	110
163	OFFICE	1,100	1.0	110
164	OFFICE	1,100	1.0	110
165	OFFICE	1,100	1.0	110
166	OFFICE	1,100	1.0	110
167	OFFICE	1,100	1.0	110
168	OFFICE	1,100	1.0	110
169	OFFICE	1,100	1.0	110
170	OFFICE	1,100	1.0	110
171	OFFICE	1,100	1.0	110
172	OFFICE	1,100	1.0	110
173	OFFICE	1,100	1.0	110
174	OFFICE	1,100	1.0	110
175	OFFICE	1,100	1.0	110
176	OFFICE	1,100	1.0	110
177	OFFICE	1,100	1.0	110
178	OFFICE	1,100	1.0	110
179	OFFICE	1,100	1.0	110
180	OFFICE	1,100	1.0	110
181	OFFICE	1,100	1.0	110
182	OFFICE	1,100	1.0	110
183	OFFICE	1,100	1.0	110
184	OFFICE	1,100	1.0	110
185	OFFICE	1,100	1.0	110
186	OFFICE	1,100	1.0	110
187	OFFICE	1,100	1.0	110
188	OFFICE	1,100	1.0	110
189	OFFICE	1,100	1.0	110
190	OFFICE	1,100	1.0	110
191	OFFICE	1,100	1.0	110
192	OFFICE	1,100	1.0	110
193	OFFICE	1,100	1.0	110
194	OFFICE	1,100	1.0	110
195	OFFICE	1,100	1.0	110
196	OFFICE	1,100	1.0	110
197	OFFICE	1,100	1.0	110
198	OFFICE	1,100	1.0	110
199	OFFICE	1,100	1.0	110
200	OFFICE	1,100	1.0	110




24-0548
12/19/2024

kme
ARCHITECTS

FIRST FLOOR PLAN
1/8" = 1'-0"

SOUTHWEST SUPPLY PROJECT
FIRST FLOOR PLAN
11.01.2024


OCCUPANCY SCHEDULE - SECOND FLOOR			
NUMBER	DESCRIPTION	AREA	OCCUPANT COUNT
200	HALLWAY	107.00	0
201	OFFICE	107.00	1
202	OFFICE	107.00	1
203	OFFICE	107.00	1
204	OFFICE	107.00	1
205	OFFICE	107.00	1
206	OFFICE	107.00	1
207	OFFICE	107.00	1
208	OFFICE	107.00	1
209	OFFICE	107.00	1
210	OFFICE	107.00	1
211	OFFICE	107.00	1
212	OFFICE	107.00	1
213	OFFICE	107.00	1
214	OFFICE	107.00	1
215	OFFICE	107.00	1
216	OFFICE	107.00	1
217	OFFICE	107.00	1
218	OFFICE	107.00	1
219	OFFICE	107.00	1
220	OFFICE	107.00	1
221	OFFICE	107.00	1
222	OFFICE	107.00	1
223	OFFICE	107.00	1
224	OFFICE	107.00	1
225	OFFICE	107.00	1
226	OFFICE	107.00	1
227	OFFICE	107.00	1
228	OFFICE	107.00	1
229	OFFICE	107.00	1
230	OFFICE	107.00	1
231	OFFICE	107.00	1
232	OFFICE	107.00	1
233	OFFICE	107.00	1
234	OFFICE	107.00	1
235	OFFICE	107.00	1
236	OFFICE	107.00	1
237	OFFICE	107.00	1
238	OFFICE	107.00	1
239	OFFICE	107.00	1
240	OFFICE	107.00	1
241	OFFICE	107.00	1
242	OFFICE	107.00	1
243	OFFICE	107.00	1
244	OFFICE	107.00	1
245	OFFICE	107.00	1
246	OFFICE	107.00	1
247	OFFICE	107.00	1
248	OFFICE	107.00	1
249	OFFICE	107.00	1
250	OFFICE	107.00	1




SOUTHWEST SUPPLY PROJECT
SECOND FLOOR PLAN
11.01.2024

SECOND FLOOR PLAN
1/8" = 1'-0"






ELEMENT A. TRI COLOR CMU PATTERN



TYPICAL CMU WALL



PROPOSED FRONT YARD CMU & WROUGHT IRON FENCE

24-0548
12/19/2024



SOUTHWEST SUPPLY PROJECT
PERIMETER WALL ELEVATIONS
3/16" = 1'-0"

PERIMETER WALL ELEVATIONS
12.10.2024



December 09, 2024

City of Las Vegas
Department of Planning
Development Services Center
495 S. Main Street
Las Vegas, NV 89101

Re: Southwest Supply Project
6509 W Red Coach Ave,
Las Vegas, NV, 89108

APN 138-02-202-017

Melvin Green
Principal

Justification Letter for Southwest Supply Project -24-0548-SUP1/24-0548-SDR1

Emanuele Arguelles
Principal

On behalf of our client, Matlock Holdings II LLC, KME Architects LLC (KME) are pleased to submit this application submittal package for a Site Design Review (SDR), and Special Use Permit (SUP) for the new Southwest Supply Project.

Site Development Review

The project will be located on 1.36 acres, consisting of an approximate 13,270 gross square foot two-story showroom and accessory office space. The showrooms will permit the sales of building and landscape supplies such as pavers, artificial turf, lumber forms, tile, carpet tile, garage epoxy, pool paint, mesa wall blocks, ledger panels, tools, and accessories with hours of operation from 7 A.M. until 4 P.M. on Monday through Saturday. The project will be accessible from West Red Coach Avenue. The building will have two public entrances opening into Showroom #1 on the North and West side of the building and will incorporate exterior roll-up doors to allow for easy access to Showroom #2. The outside storage area will be screened using an 8' decorative CMU block wall and landscaping with trees 20'-0" o.c. next to the residential and Commercial areas serving as both a visual and noise barrier. These screen walls will be architecturally integrated into the design of the development.

Special Use Permit

The Southwest Supply Project requires a Special Use Permit for a building supply store with exterior storage space to be located in a C-1 Zone. Per Table 19.12 "Permissible Use" the use will be Building & Landscape Material/Lumber yard ("A facility for the sale of home, lawn and garden supplies and construction material such as brick, lumber and other similar materials"). We are requesting the approval of a Special Use Permit to allow the above specific use as outlined in Table 19.12.

24-0548
12/10/2024



Parking

Parking will consist of 37 parking spaces in total, including 8 compact spaces, and 2 handicapped accessible spaces. In addition to vehicle parking, 2 loading spaces would be provided for commercial use. A fire apparatus access lane has also been accommodated on-site.

Landscaping

The site consists of landscape and shrub coverage per section 19.08.040 (F). All trees and shrubs follow the Southern Nevada Water Authority and Southern Nevada Regional Planning Coalition Regional Plant list.

Melvin Green
Principal

The project will follow the guidelines of Title 19, and all standard amendments & conditions. The building elevations will have a palette of earth tones and neutral colors. The total building height is 32'-3" and meets the residential adjacency standards per section 19.08.040 (H).

Emanuele Arguelles
Principal

Thank you for your time and consideration. Please contact me with any questions you may have regarding this project.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Melvin Green', is written over a horizontal line.

Melvin Green, NCARB, APEC, NOMA
Principal

24-0548
12/10/2024